




## HD D-Sub-Steckverbinder, Lötkelche - gedrehte Kontakte HD D-Sub Connectors, Solder Cups - Screw Machined Contacts

### Technische Daten / Technical Data

Gehäuse	Stahl vernickelt, verzinkt
Shell	Steel, tin coated over nickel
Isolierkörper	Thermoplastischer Kunststoff, nach UL94 V-0
Insulator	Thermoplastic, rated UL94 V-0
Kontaktmaterial	Messing
Contact Material	Brass
Kontaktoberfläche	Gold über Nickel
Contact Surface	Gold over nickel
Durchgangswiderstand	< 30mΩ
Contact Resistance	< 30mΩ
Isolationswiderstand	> 1000MΩ
Insulation Resistance	> 1000MΩ
Spannungsfestigkeit	1kV <sub>AC</sub>
Test Voltage	1kV <sub>AC</sub>
Nennstrom	3A
Current Rating	3A
Temperaturbereich	-55°C ... +105°C
Temperature Range	-55°C ... +105°C






© W+P PRODUCTS



#### Male

n	A	B	C	D
15	16.90	24.99	30.80	19.20
26	25.50	33,32	39.10	27.70
44	39.00	47.04	53.00	41.10

Tolerances: ±0.30



#### Female

n	A	B	C	D
15	16.30	24.99	30.80	19.20
26	24.70	33,32	39.10	27.70
44	38.40	47.04	53.00	41.10


Tolerances: ±0.30

<b>Serie</b>	<b>Contacts*</b>	<b>Terminals*</b>	<b>Quality*</b>	<b>Mounting*</b>
<b>112</b>	<b>15</b> 15/26/44	<b>1</b> 1 Stiftkontakt Male terminal 2 Buchsenkontakt Female terminal	<b>3</b> 1 GK 1 min. 500 Steckzyklen Quality class 1, >500 mating cycles 2 GK 2 min. 200 Steckzyklen Quality class 2, >200 mating cycles 3 GK 3 min. 50 Steckzyklen Quality class 3, >50 mating cycles	<b>0</b> 0 ... CL Lt. Tech. Info. See Tech. Info.


\* Dies ist ein **Bestellbeispiel** - bitte durch Ihre Spezifikationen ersetzen.  
\* This is an **order example** - please replace by your specifications.

## Befestigungsoptionen

### Mounting Options




**0** Durchgangsloch 3,05mm  
*3.05mm Through Hole*




**B1** Gewindeniet UNC 4-40  
*UNC 4-40 Thread Rivet*

**B2** Gewindeniet M3  
*M3 Thread Rivet*




**1** Gewindeniet UNC 4-40  
*UNC 4-40 Thread Rivet*

**2** Gewindeniet M3  
*M3 Thread Rivet*




**3** Gewindebolzen UNC 4-40  
*UNC 4-40 Thread Bolt*

**4** Gewindeniet M3  
*M3 Thread Rivet*




**5** Gewindebolzen UNC 4-40  
*UNC 4-40 Thread Bolt*

**6** Gewindebolzen M3  
*M3 Thread Bolt*



**BL** Board Lock mit UNC 4-40 Gewinde  
*Board Lock with UNC 4-40 Thread*



**CL** Combi-Lock mit UNC 4-40 Gewinde  
*Combi Lock with UNC 4-40 Thread*